



# HP ZBook 15 Screen Replacement

This guide will demonstrate how to remove the screen from your laptop.

Written By: Grant Terris



## INTRODUCTION

Is the screen on your laptop malfunctioning? [Here](#) are some possible problems with your screen. If you determine that the screen needs to be replaced, follow this replacement guide!

---



### TOOLS:


- [Phillips #0 Screwdriver](#) (1)
  - [Tweezers](#) (1)
-

## Step 1 — Battery



- Flip the laptop over.
- Slide the lever with the battery symbol beside it firmly until the battery pops out.
- Remove the battery from the laptop.

## Step 2 — Screen



- Orient the laptop keyboard-side up.
- Use tweezers to remove the adhesive covers for the screws.




## Step 3



- Remove the two 6mm screws with a Phillips #0 screwdriver.

## Step 4



- Pull the bezel away from the screen.

⚠ Be sure to go one edge at a time! Do not pull hard on the corners as it may crack the bezel.

## Step 5




- Remove the four 3mm screws with a Phillips #0 screwdriver near the corners of the screen to remove the display.


ⓘ Be careful not to confuse any screws. They are close together and you may remove the back cover instead of the display.

## Step 6



 Do not peel the tape from the side closest to the bottom of the screen panel! This may rip out the connector's wires.

- Gently lower the screen and lay it face down on the keyboard.
- Lift the corners of the tape closest to the top of the screen and peel toward the center carefully.
- Slowly pull the tape away from the sides.
- Lift the tape and disconnect the screen connector.

 You can leave the tape stuck to the cable connector and still be able to remove it.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-06-18 02:11:42 AM.